Headlights

▶ Type A

1 AUTO The headlights, parking lights, daytime running lights and so on turn on and off automatically (when the “POWER” switch is in ON mode).

2 The side marker, parking, tail, license plate, daytime running lights and instrument panel lights turn on.

3 The headlights and all the lights listed above turn on.

4 DRL OFF The daytime running lights turn off.

▶ Type B

1 O The daytime running lights turn on.

2 AUTO The headlights, parking lights, daytime running lights and so on turn on and off automatically (when the “POWER” switch is in ON mode).

3 The side marker, parking, tail, license plate, daytime running lights and instrument panel lights turn on.

4 The headlights and all the lights listed above turn on.

1. With the headlights on, push the lever away from you to turn on the high beams.
   When the light switch is in “AUTO” position, the Automatic High Beam system will be activated.
   Pull the lever toward you to the center position to turn the high beams off.
2. Pull the lever toward you and release it to flash the high beams once.
   You can flash the high beams with the headlights on or off.

■ AFS (Adaptive Front-lighting System) on and off (if equipped)

AFS (Adaptive Front-lighting System) secures excellent visibility at intersections and on curves by automatically adjusting the direction of the light axis of the headlights according to vehicle speed and the degree of the tire’s angle as controlled by steering input.
AFS operates at speeds of 6 mph (10 km/h) or higher.

1. Press the menu switch.
   The multi-information display will change modes to electronic feature control mode.
2. Press the “ENTER” switch upwards or downwards until AFS appears.
3. Press the “ENTER” switch to change to OFF.
   The “AFS OFF” indicator will come on.
   Each pressing of the switch turns AFS on and off.
   Press the menu switch to change to the normal display.

Automatic High Beam (If Equipped)

The Automatic High Beam uses an in-vehicle camera sensor to assess the brightness of streetlights, the lights of oncoming and preceding vehicles, etc., and automatically turns high beam on or off as necessary.

1 Turn the headlight switch to the “AUTO” position.

2 Push the lever away from you.
The Automatic High Beam indicator will come on when the headlights are turned on automatically to indicate that the system is active.

When all of the following conditions are fulfilled, high beam will be automatically turned on (after approximately 1 second):

- Vehicle speed is above approximately 20 mph (32 km/h).
- The area ahead of the vehicle is dark.
- There are no oncoming or preceding vehicles with headlights or tail lights turned on.

Windshield Wipers and Washer

Intermittent windshield wipers with interval adjuster (if equipped)

▶ Type A

1 **INT** Intermittent windshield wiper operation

2 **LO** Low speed windshield wiper operation

3 **HI** High speed windshield wiper operation

4 **MIST** Temporary operation

5 Increases the intermittent windshield wiper frequency

6 Decreases the intermittent windshield wiper frequency

7 Washer/wiper dual operation
The wipers will automatically operate a couple of times after the washer squirts.
If the headlights are on, the headlight cleaners will operate once.

▶ **Type B**

1 Intermittent windshield wiper operation

2 Low speed windshield wiper operation

3 High speed windshield wiper operation

4 Temporary operation

5 Increases the intermittent windshield wiper frequency

6 Decreases the intermittent windshield wiper frequency

7 Washer/wiper dual operation
The wipers will automatically operate a couple of times after the washer squirts.
If the headlights are on, the headlight cleaners will operate once.

Rain-sensing windshield wipers (if equipped)

▶ **Type A**

1 AUTO Rain-sensing wiper operation

2 LO Low speed wiper operation

3 HI High speed wiper operation

4 MIST Temporary operation

5 Increases the sensitivity

6 Decreases the sensitivity

7 Washer/wiper dual operation

The wipers will automatically operate a couple of times after the washer squirts. (After operating several times, the wipers operate one more time after a short delay to prevent dripping.)

If the headlights are on, the headlight cleaners will operate once.

▶ **Type B**

1 AUTO Rain-sensing wiper operation

2 Low speed wiper operation

3 High speed wiper operation

4 Temporary operation

5 Increases the sensitivity

6 Decreases the sensitivity

7 Washer/wiper dual operation

The wipers will automatically operate a couple of times after the washer squirts. (After operating several times, the wipers operate one more time after a short delay to prevent dripping.)

If the headlights are on, the headlight cleaners will operate once.